

Print date: 31.03.21 Replaces Version: -/GB Date revised: 19.12.2019 Version: 1 / GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

neodisher Dekonta AF

## 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC8 Biocidal products (e.g. Disinfectants, pest control)

PC35 Washing and cleaning products (including solvent based products)

## 1.3. Details of the supplier of the safety data sheet

#### Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85 D-20539 Hamburg

Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120

www.drweigert.com

#### E-mail address of person responsible for this SDS:

sida@drweigert.de

## 1.4. Emergency telephone number

Emergency telephone number: 112

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315 Eye Irrit. 2 H319 Aquatic Acute 1 H400

Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

#### 2.2. Label elements

## Labelling according to regulation (EC) No 1272/2008

#### Hazard pictograms



#### Signal word

Warning

#### Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

### **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Dispose only when container is empty and closed. For disposal of product

residues, refer to safety data sheet.

#### 2.3. Other hazards

No special hazards have to be mentioned. The product contains no PBT or vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## **Hazardous ingredients**

#### N,N-bis(2-hydroxyethyl)glycine, sodium salt

CAS No. 139-41-3 EINECS no. 205-360-4

Registration no. 01-2120803127-65

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1 H290 Eye Irrit. 2 H319

#### N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

CAS No. 94667-33-1 EINECS no. 619-057-3

Registration no. 01-2119950327-36

Concentration < 1 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 M = 10Aquatic Chronic M = 10

1

#### alkyl (C12-16) dimethylbenzyl ammonium chloride

CAS No. 68424-85-1 EINECS no. 270-325-2

Registration no. 01-2119965180-41

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Route of exposure: oral

Skin Corr. 1B H314
Eye Dam. 1 H318
Aquatic Acute 1 H400
Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

Aquatic Acute 1 M = 10

2-(2-Butoxyethoxy)ethanol

CAS No. 112-34-5 EINECS no. 203-961-6

Registration no. 01-2119475104-44

Concentration >= 25 < 50 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

Citric acid, anhydrous

CAS No. 77-92-9 EINECS no. 201-069-1

Registration no. 01-2119457026-42

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

N-(2-ethylhexyl)isononan-1-amide

CAS No. 93820-33-8 EINECS no. 298-613-3

Registration no. 01-2119984313-35

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 H400 Aquatic Chronic 2 H411

## Other information

Complete text of hazard statements in chapter 16

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

Remove contaminated, soaked clothing immediately and dispose of safely.

#### After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

#### After skin contact

After contact with skin, wash immediately with plenty of water. Consult a doctor if skin irritation persists.

#### After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. In case of irritation consult an oculist.

#### After ingestion

Rinse mouth thoroughly with water.

## Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

## 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

# 4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

chemical pneumonia or asphyxiation.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

## Non suitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

## 5.3. Advice for firefighters

## Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

## Advice on protection against fire and explosion

The product is not combustible.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Recommended storage temperature

Value > 0 < 30 °C

## Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Storage classes

Storage class according to 10-13 Other combustible and non-combustible substances

TRGS 510



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

## 7.3. Specific end use(s)

no data

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure limit values**

## 2-(2-Butoxyethoxy)ethanol

List EH40 Type WEL

Value  $67.5 \, \text{mg/m}^3$  10 ppm(V) Short term exposure limit 101.2 mg/m³ 15 ppm(V)

Status: 2011

#### Other information

There are not known any further control parameters.

## 8.2. Exposure controls

### General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work.

#### Respiratory protection

Not necessary, but do not inhale vapours. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

mm

## Hand protection

Chemical resistant gloves

Use Permanent hand contact
Appropriate Material neoprene

Material thickness >= 0,65

Breakthrough time > 480 min
Appropriate Material nitrile

Material thickness >= 0,4 mm
Breakthrough time > 480 min
Appropriate Material butyl

Use Short-term hand contact

Appropriate Material nitrile

Material thickness >= 0,11 mm

Hand protection must comply with EN 374.

#### Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

#### **Body protection**

Clothing as usual in the chemical industry.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Form liquid

Colourlight yellow, clearOdourcharacteristic

**Odour threshold** 

Remarks not determined



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

pH value

Value 3,7

Temperature 20 °C

**Melting point** 

Remarks not determined

**Freezing point** 

Remarks not determined

Initial boiling point and boiling range

Remarks not determined

Flash point

Remarks Not applicable

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

evaluation Not applicable

Upper/lower flammability or explosive limits

Remarks Not applicable

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

**Density** 

Value 1,02 g/cm<sup>3</sup>

Temperature 20 °C

Solubility in water

Remarks miscible in all proportions

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks Not applicable

**Decomposition temperature** 

Remarks not determined

**Viscosity** 

dynamic

Value < 10 mPa.s

Temperature 20 °C

**Explosive properties** 

evaluation not determined

**Oxidising properties** 

evaluation None known

9.2. Other information

Other information

None known



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

#### 10.2. Chemical stability

No hazardous reactions known.

## 10.3. Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4. Conditions to avoid

No hazardous reactions known.

## 10.5. Incompatible materials

None known

## 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## Acute oral toxicity

Species rat

LD50 > 2000 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

#### Acute oral toxicity (Components)

#### alkyl (C12-16) dimethylbenzyl ammonium chloride

Species rat

LD50 appr. 344 mg/kg

## N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species rat

LD50 1157 mg/kg

Method OECD 401

citric acid

Species rat

LD50 11700 mg/kg

citric acid

Species mouse

LD50 5040 mg/kg

## Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

## Acute dermal toxicity (Components)

## alkyl (C12-16) dimethylbenzyl ammonium chloride

Species rabbit

LD50 appr. 3340 mg/kg

#### Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

## Skin corrosion/irritation

evaluation irritant

Remarks The classification criteria are met.



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

Serious eye damage/irritation

evaluation irritant

Remarks The classification criteria are met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### **General information**

not determined

#### Fish toxicity (Components)

alkyl (C12-16) dimethylbenzyl ammonium chloride

Species Fathead minnow (Pimephales promelas)
LC50 0,28 mg/l

Duration of exposure 96 h

alkyl (C12-16) dimethylbenzyl ammonium chloride

Species Fathead minnow (Pimephales promelas)
NOEC 0,032 mg/l

Duration of exposure 34 d

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species zebra fish (Brachydanio rerio)

LC50 0,78 mg/l

Duration of exposure 96 h

Method OECD 203

N-(2-ethylhexyl)isononan-1-amide

Species zebra fish (Brachydanio rerio)

LC50 > 1000 mg/l

Duration of exposure 96 h

Method OECD 203



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

citric acid

Species golden orfe (Leuciscus idus)

LC50 440 to 706 mg/l

Duration of exposure 96 h

**Daphnia toxicity (Components)** 

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species Daphnia magna

EC50 0,07 mg/l

Duration of exposure 48 h

Method OECD 202

N-(2-ethylhexyl)isononan-1-amide
Species
Daphnia magna

EC50 0,475 mg/l

Duration of exposure 48 h

Method OECD 202

citric acid

Species Daphnia magna

EC50 120 mg/l

Duration of exposure 72 h

Algae toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species Scenedesmus subspicatus

EbC50 0,15 mg/l

Duration of exposure 72 h

Method OECD 201

N-(2-ethylhexyl)isononan-1-amide

Species Scenedesmus subspicatus

EC50 0,962 mg/l

Duration of exposure 72 h

Method OECD 201

**Bacteria toxicity (Components)** 

alkyl (C12-16) dimethylbenzyl ammonium chloride

Species activated sludge

EC50 7,75 mg/l

Duration of exposure 3 h

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species activated sludge EC50 16,8 mg/l

Duration of exposure 3 h

Method OECD 209

N-(2-ethylhexyl)isononan-1-amide

Species activated sludge

EC50 > 1000 mg/l

Duration of exposure 3 h

Method OECD 209

12.2. Persistence and degradability

**General information** 

not determined

Ready degradability (Components)

citric acid



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

## 12.3. Bioaccumulative potential

#### **General information**

not determined

#### Partition coefficient: n-octanol/water

Remarks not determined

## 12.4. Mobility in soil

#### **General information**

not determined

#### 12.5. Results of PBT and vPvB assessment

### Evaluation of persistance and bioaccumulation potential

The product contains no PBT or vPvB substances.

#### 12.6. Other adverse effects

#### **General information**

not determined

#### General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

## Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## **SECTION 14: Transport information**



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA	
Tunnel restriction code	-			
IMDG-Code segregation group		0 Not applicable		
14.1. UN number	3082	3082	3082	
14.2. UN propershipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N,N-didecyl-N- methyl-poly(oxyethyl)ammonium propionate, alkyl (C12-16) dimethylbenzyl ammonium chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N,N-didecyl-N- methyl-poly(oxyethyl)ammonium propionate, alkyl (C12-16) dimethylbenzyl ammonium chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N,N-didecyl-N-methyl- poly(oxyethyl)ammonium propionate, alkyl (C12-16) dimethylbenzyl ammonium chloride)	
14.3. Transport hazard class(es)	9	9	9	
Label	<b>A</b>	<b>A</b>	<u> </u>	
14.4. Packing group	III	III	III	
Limited Quantity	51			
Transport category	3			
14.5. Environmental hazards	ENVIRONMENTALLY HAZARDOUS	Marine Pollutant	ENVIRONMENTALLY HAZARDOUS	

## Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

#### Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 2012/18/EU

Category E1 Hazardous to the Aquatic 100 tonne 200 tonne Environment s s

Ingredients (Regulation (EC) No 648/2004)



Version: 1 / GB Replaces Version: - / GB Date revised: 19.12.2019 Print date: 31.03.21

less than 5 %:

non-ionic surfactants

**Further ingredients** 

disinfectants

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

#### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

#### **SECTION 16: Other information**

### Hazard statements listed in Chapter 3

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

## CLP categories listed in Chapter 3

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2

Eye Dam. 1 Serious eye damage, Category 1

Eye Irrit. 2 Eye irritation, Category 2

Met. Corr. 1 Substance or mixture corrosive to metals, Category 1

Skin Corr. 1B Skin corrosion, Category 1B

## **Abbreviations**

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization IATA: International Air Transport Association

IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service

VOC: Volatile Organic Compound

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978 (MARPOL: Marine Pollution) ISO: International Organization for Standardization

OECD: Organisation for Economic Co-operation and Development

IMO: International Maritime Organization

UN: United Nations EU: European Union

### Supplemental information



Version:	1 / GB	Replaces V	ersion:	- / GB	Date revised:	19.12.2019	Print date: 31.03.21
	Relevant changes This information is guarantee for any	s based on or	ur prese	nt state of I	knowledge. How	ever, it should r	ot constitute a